

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	black-william-c.in. and ((distortion or noise or effects or interference) near3 (transmission adj2 line)) near2 connector\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/06 09:33
S2	0	black-william-c.in. and ((distortion or noise or effects or interference) near3 (transmission adj2 line))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/06 09:34
S3	3	xilinx.as. and ((distortion or noise or effects or interference) near3 (transmission adj2 line))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/06 09:35
S4	12	375/296.ccls. and ((distortion or noise or effects or interference) near3 (transmission adj2 line))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/06 09:37
S5	0	S4 and (amplifier near impedance) and (feed adj2 forward)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/06 09:48
S6	1	S4 and (feed adj2 forward)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/06 09:39
S7	1	375/296.ccls. and ((compensat\$3 or eliminat\$3 or decreas\$3 or minimiz\$6 or mitigat\$3) near3 ((distortion or noise or effects or interference) near3 (transmission adj2 line)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/06 09:39
S8	0	S7 and (feed adj2 forward)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/06 09:40
S9	0	S7 and (amplifier near impedance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/06 09:40

S10	516	((compensat\$3 or eliminat\$3 or decreas\$3 or minimiz\$6 or mitigat\$3) near3 ((distortion or noise or effects or interference) near3 (transmission adj2 line)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/06 09:52
S11	0	S10 and (amplifier near impedance) and (feed adj2 forward)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/06 09:40
S12	3	S10 and (feed adj2 forward)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/06 13:19
S13	0	S12 and (amplifier near impedance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/06 09:40
S14	0	S12 and (amplif\$3 near impedance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/06 09:40
S15	0	S12 and (amplif\$8 near impedance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/06 09:40
S16	1	S12 and (amplif\$8 and impedance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/06 13:18
S17	596	(transmission adj2 characteristic\$1) near3 (transmission adj2 line)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/06 09:48
S18	0	S17 and (amplifier near impedance) and (feed adj2 forward)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/06 09:49
S19	5	S17 and (amplifier and impedance) and (feed adj2 forward)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/06 09:50

S20	7	(transmission adj2 line) with (feed adj2 forward adj2 amplifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/06 11:19
S21	0	S20 and ((compensat\$3 or eliminat\$3 or decreas\$3 or minimiz\$6 or mitigat\$3) near3 ((distortion or noise or effects or interference) near3 (transmission adj2 line)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/06 13:37
S22	0	S20 and ((compensat\$3 or eliminat\$3 or decreas\$3 or minimiz\$6 or mitigat\$3) near3 ((distortion or noise or effects or interference) near3 (transmission )))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 11:18
S23	4	S20 and impedance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/06 09:55
S24	0	"3980826".pn. and amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 12:36
S25	1	"3763437".pn. and data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/06 12:40
S26	0	("3886470".pn. "3763437".pn. "3980826".pn.) and board	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/06 12:43
S27	1	("3886470".pn. "3763437".pn. "3980826".pn.) and (integrated adj2 circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/06 12:43
S28	1	S12 and (amplif\$8 and impedance) and capacit\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/06 13:20
S29	79	S17 and (amplif\$8 and impedance) and capacit\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/06 13:19

S30	29	S17 and (amplif\$8 with impedance) and capacit\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/06 13:19
S31	0	S30 and (feed adj2 forward)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/06 13:46
S32	2	S20 and (amplif\$8 and impedance) and capacit\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/06 13:38
S33	3	330/149-165.ccls. and ((compensat\$3 or eliminat\$3 or decreas\$3 or minimiz\$6 or mitigat\$3) near3 ((distortion or noise or effects or interference) near3 (transmission adj2 line)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/06 13:51
S34	1	S33 and (amplif\$8 and impedance) and capacit\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/06 13:46
S35	0	S34 and (feed adj2 forward)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/06 13:46
S36	1	S33 and (feed adj2 forward)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/06 13:50
S37	0	S36 and (amplif\$8 and impedance) and capacit\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/06 13:46
S38	1	330/117.ccls. and ((compensat\$3 or eliminat\$3 or decreas\$3 or minimiz\$6 or mitigat\$3) near3 ((distortion or noise or effects or interference) near3 (transmission adj2 line)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/06 13:51
S39	7	(transmission adj2 line) with (feed adj2 forward adj2 amplifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 11:10

S40	0	S39 and (capacitor near3 (data near3 rate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 11:13
S41	0	"330".ccls. and (feed adj2 forward adj2 amplifier) same (capacitor near3 (data near3 rate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 11:16
S42	0	"330".ccls. and (feed adj2 forward adj2 amplifier) and (capacitor near3 (data near3 rate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 11:16
S43	0	(feed adj2 forward adj2 amplifier) and (capacitor near3 (data near3 rate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 11:16
S44	0	(feed adj2 forward ) and (capacitor near3 (data near3 rate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 11:16
S45	0	(feed adj2 forward ) and (capacitor near3 (data adj2 rate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 11:17
S46	3	(transmission adj2 line ) and (capacitor near3 (data adj2 rate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 11:18
S47	4031	((compensat\$3 or eliminat\$3 or decreas\$3 or minimiz\$6 or mitigat\$3) near3 ((distortion or noise or effects or interference) near3 (transmission )))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 11:20
S48	17	S47 and (capacit\$5 near3 (data adj2 rate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 11:20
S49	0	S48 and (feed adj2 forward)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 11:19

S50	9	S48 and @ad<"20011120"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 11:25
S51	517	((compensat\$3 or eliminat\$3 or decreas\$3 or minimiz\$6 or mitigat\$3) near3 ((distortion or noise or effects or interference) near3 (transmission adj2 line )))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 11:21
S52	0	S51 and (capacit\$5 near3 (data adj2 rate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 11:20
S53	0	"330".ccls. and (capacit\$5 near3 (data adj2 rate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 11:20
S54	6	375/296.ccls. and (capacit\$5 near3 (data adj2 rate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 11:22
S55	0	S54 and ((compensat\$3 or eliminat\$3 or decreas\$3 or minimiz\$6 or mitigat\$3) near3 ((distortion or noise or effects or interference) near3 (transmission adj2 line )))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 11:30
S56	0	S54 and (transmission adj2 line adj2 (effect\$1 or distortion or noise or interference))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 11:21
S57	1	S54 and (transmission adj2 line )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 11:23
S58	0	375/296.ccls. and (capacitor near3 (data adj2 rate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 11:22
S59	0	375/296.ccls. and (capacitance near3 (data adj2 rate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 11:22

S60	2	"375"/.ccls. and (capacitor near3 (data adj2 rate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 11:23
S61	0	S60 and (transmission adj2 line )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 11:23
S62	4804	(transmission adj2 line ) with capacitor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 11:23
S63	1	S62 and (capacitor near3 (data adj2 rate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 11:25
S64	16	S62 and (capacitor near3 (data adj2 transmission))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 11:30
S65	13	S64 and @ad<"20011120"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 11:25
S66	0	S65 and ((compensat\$3 or eliminat\$3 or decreas\$3 or minimiz\$6 or mitigat\$3) near3 ((distortion or noise or effects or interference) near3 (transmission adj2 line )))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 11:30
S67	517	((compensat\$3 or eliminat\$3 or decreas\$3 or minimiz\$6 or mitigat\$3) near3 ((distortion or noise or effects or interference) near3 (transmission adj2 line )))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 11:30
S68	0	S67 and (capacitor near3 (data adj2 transmission))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 11:31
S69	1	S67 and (capacitance near3 (data adj2 transmission))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 11:33

S70	0	S67 and (capacitance near3 (data adj2 transmission adj2 rate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 11:41
S71	0	S67 and (capacitance near3 (data adj2 rate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 11:40
S72	0	("3980826".pn. "3763437".pn. "3281707".pn. "3886470".pn.) and rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 11:41
S73	10	(capacitance near3 (data adj2 transmission adj2 rate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 11:42
S74	20	(capacitance with (data adj2 transmission adj2 rate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 11:42
S75	0	S74 and (feed adj2 forward)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 11:42
S76	0	S74 and (transmission adj2 characteristic\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 11:43
S77	7	S74 and (transmission adj2 line)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 11:45
S78	0	S74 and (transmission adj2 line adj2 distortion)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 11:46
S79	264	(transmission adj2 line adj2 distortion)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 11:46



S80	2	S79 and (capacitance and (data adj2 transmission adj2 rate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 12:36
S81	2	"3980826".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 12:36
S82	1	375/258.ccls. and (capacitance and (data adj2 transmission adj2 rate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 12:37
S83	0	375/258.ccls. and (capacitance with (data adj2 transmission adj2 rate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 12:37
S84	0	375/258.ccls. and (capacitance near3 (data adj2 transmission adj2 rate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 12:38
S85	2	375/254-296.ccls. and (capacitance near3 (data adj2 transmission adj2 rate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 12:39
S86	16	375/254-296.ccls. and (transmission adj2 line adj2 distortion)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 12:40
S87	0	S86 and (capacitance near3 (data adj2 transmission adj2 rate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 12:41
S88	2	S86 and (capacitance and (data adj2 transmission adj2 rate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 12:39
S89	1784	(line adj2 distortion)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 12:40

S90	0	S89 and (capacitance near3 (data adj2 transmission adj2 rate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 12:40
S91	0	S89 and (capacitance near3 (transmission adj2 rate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 12:40
S92	0	S86 and (capacitance near3 (transmission adj2 rate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 12:41